

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S126	4	"5428733".pn. or "5287448".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S127	89	(715/707).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 09:35
S128	17	S127 and (level with (experience or expertise or proficiency))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S129	264	(715/708).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/24 17:10
S130	311	(715/705).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/24 17:10
S131	89	(715/707).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/24 17:10
S132	5	S131 and (shortcut)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S133	1224	adobe.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10

## EAST Search History

S13 4	9	notif\$7 with chang\$3 with interface near configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S13 5	18	(US-20040041829-\$ or US-20050120313-\$ or US-20030025724-\$ or US-20020055872-\$ or US-20040189684-\$ or US-20040268260-\$ or US-20050203767-\$ or US-20020109712-\$ or US-20050015728-\$ or US-20040109031-\$ or US-20030090519-\$).did. or (US-6262730-\$ or US-6629843-\$ or US-7080321-\$ or US-7089499-\$ or US-6871346-\$ or US-5535321-\$ or US-5513308-\$ or US-5115501-\$ or US-7065188-\$ or US-6917958-\$ or US-5995101-\$ or US-5546528-\$ or US-6513060-\$ or US-6243759-\$). did.	US-PGPUB; USPAT	OR	ON	2007/10/24 17:10
S13 6	2	S135 and (online near help)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S13 7	1147	online near help	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S13 8	578	keyboard near shortcut	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S13 9	20030	level with (expertise or experience)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10

## EAST Search History

S14 0	9	S139 and (window with open with (concurrently or concurrent or simultaneous or simultaneously))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S14 1	11110	(instruction\$2 near tip) or (tool near tip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S14 2	48652	(identify or identifying or identified) with interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S14 4	131	(instruction\$2 near tip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S14 5	39009	microsoft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S15 2	6784845	window or application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S15 4	585	customiz\$5 with software with interface	USPAT	OR	ON	2007/10/24 17:10
S15 6	12460	(background or daemon) near (program or process or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S15 7	585	customiz\$5 with software with interface	USPAT	OR	ON	2007/10/24 17:10

## EAST Search History

S15 9	2926	histor\$4 same (application or window or screen) same open\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S16 0	74665	(expert\$3 or experience\$1 or advance\$1 or proficienc\$1) with level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S16 1	164	S159 and S160	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S16 2	21	(US-20030030668-\$ or US-20050120313-\$ or US-20040189684-\$ or US-20030025724-\$ or US-20040041829-\$ or US-20020055872-\$ or US-20040268260-\$ or US-20020109712-\$ or US-20030090519-\$ or US-20040109031-\$ or US-20050015728-\$ or US-20050203767-\$).did. or (US-6262730-\$ or US-5535321-\$ or US-5513308-\$ or US-5115501-\$ or US-7089499-\$ or US-7080321-\$ or US-6871346-\$ or US-6629843-\$ or US-7065188-\$ or US-5995101-\$ or US-5546528-\$ or US-6917958-\$ or US-6513060-\$ or US-6243759-\$ or US-6564170-\$ or US-7069234-\$ or US-6981242-\$).did.	US-PGPUB; USPAT	OR	ON	2007/10/24 17:10
S16 3	5	S162 and histor\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S16 4	146	("4648062"   "4789962"   "4899276"   "4992972"   "5029113"   "5123086"   "5157768"   "5175812").PN. OR ("5287448").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/24 17:10

## EAST Search History

S16 5	6	S164 and (tool near tip)	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/24 17:10
S16 6	11632	(help near tip) or (tool near tip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S16 7	95963	(deactivate or deactivation or deactivating) and (activate or activation or activating)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S16 8	585	customiz\$5 with software with interface	USPAT	OR	ON	2007/10/24 17:10
S16 9	1	S166 and S167 and S168	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S17 0	2	"5958012".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S17 1	9029935	numer\$4 or number or multiple or many	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S17 2	966993	S171 with (window or application)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S17 3	2	"5438661".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10

## EAST Search History

S17 5	1922	history near log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S17 6	1468751	GUI or interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S17 7	161982	personaliz\$5 or customiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S17 8	26492	S172 with open\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S18 0	4336	history near file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S18 1	1922	history near log	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S18 2	2	"20060036995"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S18 3	89	(715/707).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/24 17:10

## EAST Search History

S18 4	259078	(level with (experien\$3 or expertise or proficien\$2 advanc\$3 skill\$2 novice beginn\$3 intermediate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S18 5	14	("20010045964" "20020154153" "2 0030236832" "20040135802" "5604 860" "6128013" "6781607").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S18 6	25	("4156284"   "4648044"   "4658370"   "4860214"   "4873661"   "4885757"   "4903226"   "4931926"   "4942367"   "4962342"   "4964077"   "4988891"   "5008810"   "5021988"   "5023833"   "5039870"   "5167010"   "5239617"   "5485544").PN. OR ("RE37431").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/24 17:10
S18 7	11010	(customiz\$3 personliz\$3) with (interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S18 8	90	S184 same S187	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S18 9	12	("5287514" "5604860" "5726883" "6 072486" "6222537" "6674537"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S19 0	33	("4947346"   "4964077"   "5018082"   "5029113"   "5115501"   "5122972"   "5235679"   "5377319"   "5388198"   "5459488"   "5493658"   "5513308"   "5535321"   "5535323"   "5535422").PN. OR ("5774118"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/24 17:10

## EAST Search History

S19 1	5058	(notice notification notifying note statement information) with (display\$3 output\$3 inform\$3) with (chang\$3 modify modification modified alter\$3 updat\$3) with interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S19 2	39	(US-20050120313-\$ or US-20040189684-\$ or US-20040041829-\$ or US-20030025724-\$ or US-20050203767-\$ or US-20030030668-\$ or US-20030025732-\$ or US-20020055872-\$ or US-20040268260-\$ or US-20060170613-\$ or US-20050033632-\$ or US-20020109712-\$ or US-20040109031-\$ or US-20030090519-\$ or US-20050015728-\$ or US-20040066414-\$).did. or (US-7089499-\$ or US-7080321-\$ or US-RE37431-\$ or US-6262730-\$ or US-5774118-\$ or US-5513308-\$ or US-5535321-\$ or US-5115501-\$ or US-6243759-\$ or US-6981242-\$ or US-6871346-\$ or US-7069234-\$ or US-6629843-\$ or US-6542163-\$ or US-7065188-\$ or US-5995101-\$ or US-6917958-\$ or US-5546528-\$ or US-6513060-\$ or US-6564170-\$ or US-7062545-\$ or US-5754176-\$ or US-5438661-\$).did. or (US-20060064504-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2007/10/24 17:10
S19 3	2	S191 and S192	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S19 4	474	(notice notification notifying note statement) with (display\$3 output\$3 inform\$3) with (chang\$3 modify modification modified alter\$3 updat\$3) with interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S19 5	197	(output\$3 display\$3 render\$3) with (notice notification) with (chang\$3 modify\$3 modification modified) with (interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10



## EAST Search History

S19 6	259078	(level with (experien\$3 or expertise or proficien\$2 advanc\$3 skill\$2 novice beginn\$3 intermediate))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S19 7	38	S196 and S195	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S19 8	69	S194 and "715".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S19 9	13	S198 and S196	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S20 0	33	S197 not S199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S20 1	361	(notice notification notifying statement) with (display\$3 output\$3 inform\$3) with (chang\$3 modify modification modified alter\$3 updat\$3) with interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S20 2	47	S196 and S201	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S20 3	42	S202 not S199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10

## EAST Search History

S20 4	89	(715/707).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/24 17:10
S20 5	89	(715/707).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/24 17:10
S20 6	1147	online near help	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S20 7	131	(instruction\$2 near tip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/24 17:10
S20 8	19	("5630066"   "5761499"   "5784563"   "6061448"   "6108779"   "6182131"   "6209031"   "6243745"   "6262726"   "6269456"   "6347331"   "6446071"   "6487718"   "6512526"   "6836794").PN. OR ("6917958"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/24 17:44
S20 9	1	"20030046401"	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/24 17:44
S21 0	2	"20020194297"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/10/25 14:28
S21 1	17	("20020089532"   "5675510"   "5740549"   "5796952"   "5878384"   "5892917"   "5960429"   "5961598"   "5964839"   "6006222"   "6014638"   "6317787").PN. OR ("6564170").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/25 14:42

## EAST Search History

S21 2	155	("5319455"   "5446891"   "5515270"   "5528490"   "5642484"   "5710884"   "5710887"   "5724521"   "5727048"   "5729693"   "5740549"   "5745882"   "5754939"   "5756280").PN. OR ("6014638").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/25 14:42
S21 3	8034	(customiz\$5 individualiz\$5 personaliz\$5) with ((user near interface) GUI IU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 12:05
S21 4	74732	(expertiz\$3 or experience\$1 or advance\$1 or proficienc\$1) with level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 12:05
S21 5	633	S213 and S214	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 13:20
S21 6	162292	personaliz\$5 or customiz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 12:08
S21 7	823	S216 with interface same (operating near system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 12:10
S21 8	43	S217 and S214	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 12:10
S21 9	15	("5179700"   "5675520"   "5818446"   "5831608"   "5897635"   "5973686"   "6023780"   "6151606").PN. OR ("6263346"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/26 12:27
S22 0	6	autonomic near interface	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/26 12:28

## EAST Search History

S22 1	34	S215 and S217	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 13:20
S22 2	7	RE37431	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 13:33
S22 3	2	"20050015728"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/26 22:17
S22 4	2	"20020124071"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 09:42
S22 5	2	"6263346".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 09:54
S22 8	18	mechanism and automatically and dynamically and changing	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 09:55
S22 9	50281	user with interact\$3 with (desktop (operating near system) os system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 14:55
S23 0	8034	(customiz\$5 individualiz\$5 personaliz\$5) with ((user near interface) GUI IU)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 14:55
S23 1	302	S229 same S230	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 14:56

## EAST Search History

S23 2	74732	(expert\$3 or experience\$1 or advance\$1 or proficiency\$1) with level	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 14:56
S23 3	29	S231 and S232	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/27 14:56